

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

- **1.1 Product identifier**
- **Trade name:** *Bestdent Desinfeccion Dispositivos Medicos*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Technical function** *Biocide*
- **Application of the substance / the mixture** *Surface disinfectant*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*PRISMAN GmbH
 Otto-Hahn-Ring 6-18
 64653 Lorsch
 www.prisman.de*
- **Further information obtainable from:** *Alexander.Metz@prisman.de*
- **1.4 Emergency telephone number:** *Tel + 49 (0) 6251 866 980 0, Mo-Fr 9-17 Uhr*

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Flam. Liq. 3 H226 Flammable liquid and vapour.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS02

- **Signal word** *Warning*
- **Hazard-determining components of labelling:**
propan-1-ol
- **Hazard statements**
H226 Flammable liquid and vapour.
- **Precautionary statements**

<i>P210</i>	<i>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</i>
<i>P280</i>	<i>Wear eye protection / face protection.</i>
<i>P305+P351+P338</i>	<i>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>
<i>P403+P233</i>	<i>Store in a well-ventilated place. Keep container tightly closed.</i>
<i>P501</i>	<i>Dispose of contents/container in accordance with local/regional/national/international regulations.</i>
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31





Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: Bestdent Desinfeccion Dispositivos Medicos

(Contd. of page 1)

· Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol	 Flam. Liq. 2, H225	25-50%
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol	 Flam. Liq. 2, H225  Eye Dam. 1, H318  STOT SE 3, H336	2.5-10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Take affected persons out of danger area and lay down.
Take affected persons out into the fresh air.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
Keep away from ignition sources.
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: Bestdent Desinfeccion Dispositivos Medicos

(Contd. of page 2)

- **6.2 Environmental precautions:**
 - Do not allow to penetrate the ground/soil.
 - Dilute with plenty of water.
 - Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Dispose contaminated material as waste according to section 13.
 - Ensure adequate ventilation.
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Use only in well ventilated areas.
 - Keep receptacles tightly sealed.
 - Carry out filling operations only at sites with extractors available.
 - Restrict the quantity stored at the work place.
- **Information about fire - and explosion protection:**
 - Highly volatile, flammable constituents are released during processing.
 - Fumes can combine with air to form an explosive mixture.
 - Do not spray onto a naked flame or any incandescent material.
 - Danger of explosion if fluid enters the sewage system.
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
 - **Information about storage in one common storage facility:** Store away from oxidising agents.
 - **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm

Long-term value: 500 mg/m³, 200 ppm

Sk

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Do not eat or drink while working.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: Bestdent Desinfeccion Dispositivos Medicos

(Contd. of page 3)

Wash hands before breaks and at the end of work.

· **Respiratory protection:**

Not necessary if room is well-ventilated.

Not required.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Rubber gloves

· **For the permanent contact gloves made of the following materials are suitable: Neoprene gloves**

· **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Butyl rubber, BR

· **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Clear

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

78 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

3.5 Vol % (Ethanol)

· **Upper:**

15 Vol % (Ethanol)

· **Flash point:**

25 °C

· **Auto-ignition temperature:**

425 °C

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

<10

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: **Bestdent Desinfeccion Dispositivos Medicos**

(Contd. of page 4)

· Viscosity:	
· Kinematic viscosity	<i>Not determined.</i>
· Dynamic:	<i>Not determined.</i>
· Solubility	
· water:	<i>Fully miscible.</i>
· Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
· Vapour pressure at 20 °C:	<i>59 hPa</i>
· Density and/or relative density	
· Density at 20 °C:	<i>0.912 g/cm³</i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not determined.</i>

9.2 Other information

· Appearance:	
· Form:	<i>Fluid</i>
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	<i>Product is not selfigniting.</i>
· Explosive properties:	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>
· Solvent content:	
· Organic solvents:	<i>51 %</i>
· Water:	<i><50 %</i>
· VOC (EC)	<i>51 %</i>
· Solids content:	<i><1 %</i>
· Change in condition	
· Evaporation rate	<i>Not determined.</i>

Information with regard to physical hazard classes

· Explosives	<i>Void</i>
· Flammable gases	<i>Void</i>
· Aerosols	<i>Void</i>
· Oxidising gases	<i>Void</i>
· Gases under pressure	<i>Void</i>
· Flammable liquids	<i>Flammable liquid and vapour.</i>
· Flammable solids	<i>Void</i>
· Self-reactive substances and mixtures	<i>Void</i>
· Pyrophoric liquids	<i>Void</i>
· Pyrophoric solids	<i>Void</i>
· Self-heating substances and mixtures	<i>Void</i>
· Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
· Oxidising liquids	<i>Void</i>
· Oxidising solids	<i>Void</i>
· Organic peroxides	<i>Void</i>
· Corrosive to metals	<i>Void</i>
· Desensitised explosives	<i>Void</i>

SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: **Bestdent Desinfeccion Dispositivos Medicos**

(Contd. of page 5)

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64-17-5 ethanol

Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rat)

71-23-8 propan-1-ol

Oral	LD50	5,400 mg/kg /male (rat)
Dermal	LD50	4,032 mg/kg (rabbit)
Inhalative	LC50/4 h	>33.8 mg/l /4h (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

64-17-5 ethanol

EC50	>10,000 mg/kg (daphnia)
EC50	275 mg/l (A)
	>10,000 mg/l (daphnia)
LC50/96h	15,300 mg/l (fish)
LC50/48h	5,012 mg/l (daphnia)

71-23-8 propan-1-ol

EC50	1,000 mg/l (Bel)
	3,644 mg/l (daphnia)
LC50/96h	4,555 mg/l (fish)

· 12.2 Persistence and degradability biodegradable

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: Bestdent Desinfeccion Dispositivos Medicos


(Contd. of page 6)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA | UN1987 |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG · IATA | 1987 ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL), n-PROPANOL (PROPYL ALCOHOL, NORMAL))
ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL), n-PROPANOL (PROPYL ALCOHOL, NORMAL))
ALCOHOLS, N.O.S. (ETHANOL, n-PROPANOL (PROPYL ALCOHOL, NORMAL)) |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <div style="text-align: center;">  </div> <ul style="list-style-type: none"> · Class · Label |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | 3 Flammable liquids.
3

III |

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: **Bestdent Desinfeccion Dispositivos Medicos**

(Contd. of page 7)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	30
· EMS Number:	F-E,S-D
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
GHS label elements
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS02

- **Signal word** Warning
- **Hazard-determining components of labelling:**
propan-1-ol
- **Hazard statements**
H226 Flammable liquid and vapour.
- **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** P5c FLAMMABLE LIQUIDS

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.06.2024

Version number 3 (replaces version 2)

Revision: 27.06.2024

Trade name: Bestdent Desinfeccion Dispositivos Medicos

(Contd. of page 8)

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

· **Department issuing SDS:** Abteilung Produktsicherheit

· **Contact:** Hr. Dr. Metz

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**